



HATFIELD & COMPANY, INC.

LIST PRICE X  
YOUR MULTIPLIER =  
\$ NET PRICE

**2-WAY BALL VALVES - STANDARD TRIM - FLOATING/2 POSITION ACTUATORS**

Valve Size	Cv	Part Number	NON-SPRING RETURN FLOATING					SPRING RETURN 2 POSITION			
			SIEMENS	JCI	KMC	BELIMO		SIEMENS	JCI	BELIMO	
			GDE.131	M9106-AGA	MEP-4001	LMB24-3-T	LMB24-3	GMA.121	M9208-BGA	TF24	LF24
1/2"	0.38	UR2A1FB	295	300	253	275	329	461	486	458	526
	0.68	UR2A2FB	295	300	253	275	329	461	486	458	526
	1.3	UR2A3FB	295	300	253	275	329	461	486	458	526
	2.6	UR2A4FB	295	300	253	275	329	461	486	458	526
	4.7	UR2A5FB	295	300	253	275	329	461	486	458	526
	*11.7	UR2A6FB	295	300	253	275	329	461	486	458	526
8	UR2A7FB	295	300	253	275	329	461	486	458	526	
3/4"	2.5	UR2B1FB	331	336	289	311	364	497	522	494	561
	4.3	UR2B2FB	331	336	289	311	364	497	522	494	561
	*14.7	UR2B3FB	331	336	289	311	364	497	522	494	561
	10.1	UR2B4FB	331	336	289	311	364	497	522	494	561
	*28.6	UR2B5FB	331	336	289	311	364	497	522	494	561
	0.31	UR2B6FB	331	336	289	311	364	497	522	494	561
	0.63	UR2B7FB	331	336	289	311	364	497	522	494	561
	1.2	UR2B8FB	331	336	289	311	364	497	522	494	561
1"	9	UR2C1FB	377	382	335	357	411	543	568	540	608
	*28.4	UR2C2FB	377	382	335	357	411	543	568	540	608
	15.3	UR2C3FB	377	382	335	357	411	543	568	540	608
	*54.2	UR2C4FB	377	382	335	357	411	543	568	540	608
	26.1	UR2C5FB	377	382	335	357	411	543	568	540	608
	*43.9	UR2C6FB	377	382	335	357	411	543	568	540	608
	4.4	UR2C7FB	377	382	335	357	411	543	568	540	608
	14.9	UR2D1FB	449	454	407	429	482	615	640	612	679
1 1/4"	*41.1	UR2D2FB	449	454	407	429	482	615	640	612	679
	36.5	UR2D3FB	449	454	407	429	482	615	640	612	679
	*102.3	UR2D4FB	449	454	407	429	482	615	640	612	679
	4.4	UR2D5FB	449	454	407	429	482	615	640	612	679
	8.3	UR2D6FB	449	454	407	429	482	615	640	612	679
	22.8	UR2E1FB	552	557	510	532	585	718	743	715	783
1 1/2"	*73.9	UR2E2FB	552	557	510	532	585	718	743	715	783
	41.3	UR2E3FB	552	557	510	532	585	718	743	715	783
	*171.7	UR2E4FB	552	557	510	532	585	718	743	715	783
	41.7	UR2F1FB	759	764	718	739	793	926	950	--	990
2"	*108	UR2F2FB	759	764	718	739	793	926	950	--	990
	71.1	UR2F3FB	759	764	718	739	793	926	950	--	990
	*266	UR2F4FB	759	764	718	739	793	926	950	--	990
	57	UR2F5FB	759	764	718	739	793	926	950	--	990
	100	UR2F6FB	759	764	718	739	793	926	950	--	990
	210	UR2F7FB	759	764	718	739	793	926	950	--	990

**2-WAY BALL VALVES - STANDARD TRIM - MODULATING ACTUATORS**

Valve Size	Cv	Part Number	NON-SPRING RETURN					SPRING RETURN			
			SIEMENS	JCI	KMC	BELIMO		SIEMENS	JCI	BELIMO	
			GDE.161	M9106-GGA	MEP-4002	LMB24SR-T	LMB24SR	GMA.161	M9208-GGA	TF24-SR	LF24SR
1/2"	0.38	UR2A1FB	385	398	300	419	464	595	618	596	672
	0.68	UR2A2FB	385	398	300	419	464	595	618	596	672
	1.3	UR2A3FB	385	398	300	419	464	595	618	596	672
	2.6	UR2A4FB	385	398	300	419	464	595	618	596	672
	4.7	UR2A5FB	385	398	300	419	464	595	618	596	672
	*11.7	UR2A6FB	385	398	300	419	464	595	618	596	672
8	UR2A7FB	385	398	300	419	464	595	618	596	672	
3/4"	2.5	UR2B1FB	421	434	336	455	500	631	654	632	707
	4.3	UR2B2FB	421	434	336	455	500	631	654	632	707
	*14.7	UR2B3FB	421	434	336	455	500	631	654	632	707
	10.1	UR2B4FB	421	434	336	455	500	631	654	632	707
	*28.6	UR2B5FB	421	434	336	455	500	631	654	632	707
	0.31	UR2B6FB	421	434	336	455	500	631	654	632	707
	0.63	UR2B7FB	421	434	336	455	500	631	654	632	707
	1.2	UR2B8FB	421	434	336	455	500	631	654	632	707
1"	9	UR2C1FB	467	480	382	502	546	677	700	678	754
	*28.4	UR2C2FB	467	480	382	502	546	677	700	678	754
	15.3	UR2C3FB	467	480	382	502	546	677	700	678	754
	*54.2	UR2C4FB	467	480	382	502	546	677	700	678	754
	26.1	UR2C5FB	467	480	382	502	546	677	700	678	754
	*43.9	UR2C6FB	467	480	382	502	546	677	700	678	754
	4.4	UR2C7FB	467	480	382	502	546	677	700	678	754
	14.9	UR2D1FB	539	552	454	573	618	749	772	750	825
1 1/4"	*41.1	UR2D2FB	539	552	454	573	618	749	772	750	825
	36.5	UR2D3FB	539	552	454	573	618	749	772	750	825
	*102.3	UR2D4FB	539	552	454	573	618	749	772	750	825
	4.4	UR2D5FB	539	552	454	573	618	749	772	750	825
	8.3	UR2D6FB	539	552	454	573	618	749	772	750	825
	22.8	UR2E1FB	642	655	557	676	721	852	875	853	928
1 1/2"	*73.9	UR2E2FB	642	655	557	676	721	852	875	853	928
	41.3	UR2E3FB	642	655	557	676	721	852	875	853	928
	*171.7	UR2E4FB	642	655	557	676	721	852	875	853	928
	41.7	UR2F1FB	849	862	765	884	929	1,060	1,082	--	1,136
2"	*108	UR2F2FB	849	862	765	884	929	1,060	1,082	--	1,136
	71.1	UR2F3FB	849	862	765	884	929	1,060	1,082	--	1,136
	*266	UR2F4FB	849	862	765	884	929	1,060	1,082	--	1,136
	57	UR2F5FB	849	862	765	884	929	1,060	1,082	--	1,136
	100	UR2F6FB	849	862	765	884	929	1,060	1,082	--	1,136
	210	UR2F7FB	849	862	765	884	929	1,060	1,082	--	1,136

\* Denotes full port valve  
--- Indicates this valve/actuator combination is not recommended

Prices as of April 2011. Subject to change without notice.



**HATFIELD & COMPANY, INC.**

LIST PRICE X  
YOUR MULTIPLIER =  
\$ NET PRICE

**2-WAY BALL VALVES - STAINLESS STEEL TRIM - FLOATING/2 POSITION ACTUATORS**

Valve Size	Cv	Part Number	NON-SPRING RETURN FLOATING					SPRING RETURN 2 POSITION			
			SIEMENS	JCI	KMC	BELIMO		SIEMENS	JCI	BELIMO	
			GDE.131	M9106-AGA	MEP-4001	LMB24-3-T	LMB24-3	GMA.121	M9208-BGA	TF24	LF24
1/2"	0.38	UR2A1FS	341	346	300	321	375	507	532	504	572
	0.68	UR2A2FS	341	346	300	321	375	507	532	504	572
	1.3	UR2A3FS	341	346	300	321	375	507	532	504	572
	2.6	UR2A4FS	341	346	300	321	375	507	532	504	572
	4.7	UR2A5FS	341	346	300	321	375	507	532	504	572
	*11.7	UR2A6FS	341	346	300	321	375	507	532	504	572
3/4"	8	UR2A7FS	341	346	300	321	375	507	532	504	572
	2.5	UR2B1FS	386	391	344	366	420	552	577	549	617
	4.3	UR2B2FS	386	391	344	366	420	552	577	549	617
	*14.7	UR2B3FS	386	391	344	366	420	552	577	549	617
	10.1	UR2B4FS	386	391	344	366	420	552	577	549	617
	*28.6	UR2B5FS	386	391	344	366	420	552	577	549	617
	0.31	UR2B6FS	386	391	344	366	420	552	577	549	617
	0.63	UR2B7FS	386	391	344	366	420	552	577	549	617
	1.2	UR2B8FS	386	391	344	366	420	552	577	549	617
	1"	9	UR2C1FS	458	463	416	438	491	624	649	621
*28.4		UR2C2FS	458	463	416	438	491	624	649	621	688
15.3		UR2C3FS	458	463	416	438	491	624	649	621	688
*54.2		UR2C4FS	458	463	416	438	491	624	649	621	688
26.1		UR2C5FS	458	463	416	438	491	624	649	621	688
*43.9		UR2C6FS	458	463	416	438	491	624	649	621	688
4.4		UR2C7FS	458	463	416	438	491	624	649	621	688
1 1/4"		14.9	UR2D1FS	544	549	503	524	578	711	735	707
	*41.1	UR2D2FS	544	549	503	524	578	711	735	707	775
	36.5	UR2D3FS	544	549	503	524	578	711	735	707	775
	*102.3	UR2D4FS	544	549	503	524	578	711	735	707	775
	4.4	UR2D5FS	544	549	503	524	578	711	735	707	775
	8.3	UR2D6FS	544	549	503	524	578	711	735	707	775
1 1/2"	22.8	UR2E1FS	717	723	676	697	751	884	909	880	948
	*73.9	UR2E2FS	717	723	676	697	751	884	909	880	948
	41.3	UR2E3FS	717	723	676	697	751	884	909	880	948
	*171.7	UR2E4FS	717	723	676	697	751	884	909	880	948
2"	41.7	UR2F1FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274
	*108	UR2F2FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274
	71.1	UR2F3FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274
	*266	UR2F4FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274
	57	UR2F5FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274
	100	UR2F6FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274
210	UR2F7FS	1043	1048	1001	1023	1077	1,209	1,234	--	1,274	

**2-WAY BALL VALVES - STAINLESS STEEL TRIM - MODULATING ACTUATORS**

Valve Size	Cv	Part Number	NON-SPRING RETURN				SPRING RETURN				
			SIEMENS	JCI	KMC	BELIMO		SIEMENS	JCI	BELIMO	
			GDE.161	M9106-GGA	MEP-4002	LMB24SR-T	LM24SR	GMA.161	M9208-GGA	TF24-SR	LF24SR
1/2"	0.38	UR2A1FS	431	444	347	466	511	642	664	642	718
	0.68	UR2A2FS	431	444	347	466	511	642	664	642	718
	1.3	UR2A3FS	431	444	347	466	511	642	664	642	718
	2.6	UR2A4FS	431	444	347	466	511	642	664	642	718
	4.7	UR2A5FS	431	444	347	466	511	642	664	642	718
	*11.7	UR2A6FS	431	444	347	466	511	642	664	642	718
3/4"	8	UR2A7FS	431	444	347	466	511	642	664	642	718
	2.5	UR2B1FS	476	489	391	511	555	686	709	687	763
	4.3	UR2B2FS	476	489	391	511	555	686	709	687	763
	*14.7	UR2B3FS	476	489	391	511	555	686	709	687	763
	10.1	UR2B4FS	476	489	391	511	555	686	709	687	763
	*28.6	UR2B5FS	476	489	391	511	555	686	709	687	763
	0.31	UR2B6FS	476	489	391	511	555	686	709	687	763
	0.63	UR2B7FS	476	489	391	511	555	686	709	687	763
	1.2	UR2B8FS	476	489	391	511	555	686	709	687	763
	1"	9	UR2C1FS	548	561	463	582	627	758	781	759
*28.4		UR2C2FS	548	561	463	582	627	758	781	759	834
15.3		UR2C3FS	548	561	463	582	627	758	781	759	834
*54.2		UR2C4FS	548	561	463	582	627	758	781	759	834
26.1		UR2C5FS	548	561	463	582	627	758	781	759	834
*43.9		UR2C6FS	548	561	463	582	627	758	781	759	834
4.4		UR2C7FS	548	561	463	582	627	758	781	759	834
1 1/4"		14.9	UR2D1FS	634	647	550	669	714	845	867	845
	*41.1	UR2D2FS	634	647	550	669	714	845	867	845	921
	36.5	UR2D3FS	634	647	550	669	714	845	867	845	921
	*102.3	UR2D4FS	634	647	550	669	714	845	867	845	921
	4.4	UR2D5FS	634	647	550	669	714	845	867	845	921
	8.3	UR2D6FS	634	647	550	669	714	845	867	845	921
1 1/2"	22.8	UR2E1FS	808	821	723	842	887	1,018	1,040	1,019	1,094
	*73.9	UR2E2FS	808	821	723	842	887	1,018	1,040	1,019	1,094
	41.3	UR2E3FS	808	821	723	842	887	1,018	1,040	1,019	1,094
	*171.7	UR2E4FS	808	821	723	842	887	1,018	1,040	1,019	1,094
2"	41.7	UR2F1FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420
	*108	UR2F2FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420
	71.1	UR2F3FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420
	*266	UR2F4FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420
	57	UR2F5FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420
	100	UR2F6FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420
210	UR2F7FS	1,133	1,146	1,048	1,168	1,212	1,343	1,366	--	1,420	

\* Denotes full port valve  
--- Indicates this valve/actuator combination is not recommended

Prices as of April 2011. Subject to change without notice.



HATFIELD & COMPANY, INC.

LIST PRICE X  
YOUR MULTIPLIER =  
\$ NET PRICE

**3-WAY BALL VALVES - STANDARD TRIM - FLOATING/2 POSITION ACTUATORS**

Valve Size	Cv	Part Number	NON-SPRING RETURN FLOATING					SPRING RETURN 2 POSITION			
			SIEMENS	JCI	KMC	BELIMO		SIEMENS	JCI	BELIMO	
			GDE.131	M9106-AGA	MEP-4001	LMB24-3-T	LMB24-3	GMA.121	M9206-BGA	TF24	LF24
1/2"	0.33	UR3AAF	413	418	371	393	447	579	677	576	644
	0.59	UR3ABFB	413	418	371	393	447	579	677	576	644
	1	UR3ACFB	413	418	371	393	447	579	677	576	644
	2.4	UR3ADFB	413	418	371	393	447	579	677	576	644
	4.3	UR3AEFB	413	418	371	393	447	579	677	576	644
	8	UR3AFFB	413	418	371	393	447	579	677	576	644
3/4"	0.4	UR3BAFB	425	430	383	405	458	591	689	588	656
	0.66	UR3BBFB	425	430	383	405	458	591	689	588	656
	1.3	UR3BCFB	425	430	383	405	458	591	689	588	656
	2.4	UR3BDFB	425	430	383	405	458	591	689	588	656
	3.8	UR3BEFB	425	430	383	405	458	591	689	588	656
	11*	UR3BFFB	425	430	383	405	458	591	689	588	656
1"	0.4	UR3CAFB	535	540	494	515	569	702	800	698	766
	0.65	UR3CBFB	535	540	494	515	569	702	800	698	766
	1.3	UR3CCFB	535	540	494	515	569	702	800	698	766
	2.3	UR3CDFB	535	540	494	515	569	702	800	698	766
	3.5	UR3CEFB	535	540	494	515	569	702	800	698	766
	10	UR3CFFB	535	540	494	515	569	702	800	698	766
	8.6	UR3CGFB	535	540	494	515	569	702	800	698	766
	22.3	UR3CHFB	535	540	494	515	569	702	800	698	766
	14.9	UR3CJFB	535	540	494	515	569	702	800	698	766
	30.8	UR3CMFB	535	540	494	515	569	702	800	698	766
1 1/4"	19.4*	UR3DBFB	574	579	533	554	608	740	838	737	805
	12.7	UR3DCF	574	579	533	554	608	740	838	737	805
	4.1	UR3DDFB	574	579	533	554	608	740	838	737	805
	8.7	UR3DEFB	574	579	533	554	608	740	838	737	805
	34.1*	UR3DFFB	574	579	533	554	608	740	838	737	805
	26.8	UR3DGF	574	579	533	554	608	740	838	737	805
1 1/2"	13.4	UR3EAFB	794	799	752	774	827	960	1,058	957	1,024
	4	UR3EBFB	794	799	752	774	827	960	1,058	957	1,024
	8.3	UR3ECFB	794	799	752	774	827	960	1,058	957	1,024
	32*	UR3EDFB	794	799	752	774	827	960	1,058	957	1,024
	23.5	UR3EEFB	794	799	752	774	827	960	1,058	957	1,024
	61.1	UR3EFFB	794	799	752	774	827	960	1,058	957	1,024
2"	23.9	UR3FAFB	1016	1021	975	996	1050	1,182	1,280	--	1,247
	56.7	UR3FBFB	1016	1021	975	996	1050	1,182	1,280	--	1,247
	38.2	UR3FCFB	1016	1021	975	996	1050	1,182	1,280	--	1,247
	108.5	UR3FDFB	1016	1021	975	996	1050	1,182	1,280	--	1,247
	82.6	UR3FEFB	1016	1021	975	996	1050	1,182	1,280	--	1,247

**3-WAY BALL VALVES - STANDARD TRIM - MODULATING ACTUATORS**

Valve Size	Cv	Part Number	NON-SPRING RETURN					SPRING RETURN			
			SIEMENS	JCI	KMC	BELIMO		SIEMENS	JCI	BELIMO	
			GDE.161	M9106-GGA	MEP-4002	LMB24SR-T	LM24SR	GMA.161	M9206-GGA	TF24-SR	LF24SR
1/2"	0.33	UR3AAF	503	516	418	537	582	713	739	714	790
	0.59	UR3ABFB	503	516	418	537	582	713	739	714	790
	1	UR3ACFB	503	516	418	537	582	713	739	714	790
	2.4	UR3ADFB	503	516	418	537	582	713	739	714	790
	4.3	UR3AEFB	503	516	418	537	582	713	739	714	790
	8	UR3AFFB	503	516	418	537	582	713	739	714	790
3/4"	0.4	UR3BAFB	515	528	430	549	594	725	751	726	801
	0.66	UR3BBFB	515	528	430	549	594	725	751	726	801
	1.3	UR3BCFB	515	528	430	549	594	725	751	726	801
	2.4	UR3BDFB	515	528	430	549	594	725	751	726	801
	3.8	UR3BEFB	515	528	430	549	594	725	751	726	801
	11*	UR3BFFB	515	528	430	549	594	725	751	726	801
1"	0.4	UR3CAFB	625	638	541	660	705	836	861	836	912
	0.65	UR3CBFB	625	638	541	660	705	836	861	836	912
	1.3	UR3CCFB	625	638	541	660	705	836	861	836	912
	2.3	UR3CDFB	625	638	541	660	705	836	861	836	912
	3.5	UR3CEFB	625	638	541	660	705	836	861	836	912
	10	UR3CFFB	625	638	541	660	705	836	861	836	912
	8.6	UR3CGFB	625	638	541	660	705	836	861	836	912
	22.3	UR3CHFB	625	638	541	660	705	836	861	836	912
	14.9	UR3CJFB	625	638	541	660	705	836	861	836	912
	30.8	UR3CMFB	625	638	541	660	705	836	861	836	912
1 1/4"	19.4*	UR3DBFB	664	677	579	699	743	875	900	875	951
	12.7	UR3DCF	664	677	579	699	743	875	900	875	951
	4.1	UR3DDFB	664	677	579	699	743	875	900	875	951
	8.7	UR3DEFB	664	677	579	699	743	875	900	875	951
	34.1*	UR3DFFB	664	677	579	699	743	875	900	875	951
	26.8	UR3DGF	664	677	579	699	743	875	900	875	951
1 1/2"	13.4	UR3EAFB	884	897	799	918	963	1,094	1,120	1,095	1,170
	4	UR3EBFB	884	897	799	918	963	1,094	1,120	1,095	1,170
	8.3	UR3ECFB	884	897	799	918	963	1,094	1,120	1,095	1,170
	32*	UR3EDFB	884	897	799	918	963	1,094	1,120	1,095	1,170
	23.5	UR3EEFB	884	897	799	918	963	1,094	1,120	1,095	1,170
	61.1	UR3EFFB	884	897	799	918	963	1,094	1,120	1,095	1,170
2"	23.9	UR3FAFB	1,106	1,119	1,021	1,141	1,185	1,317	1,342	--	1,393
	56.7	UR3FBFB	1,106	1,119	1,021	1,141	1,185	1,317	1,342	--	1,393
	38.2	UR3FCFB	1,106	1,119	1,021	1,141	1,185	1,317	1,342	--	1,393
	108.5	UR3FDFB	1,106	1,119	1,021	1,141	1,185	1,317	1,342	--	1,393
	82.6	UR3FEFB	1,106	1,119	1,021	1,141	1,185	1,317	1,342	--	1,393

\* Denotes full port valve

--- Indicates this valve/actuator combination is not recommended

Prices as of April 2011. Subject to change without notice.